





Sound Insulation Certificate

Methode	Measurement of Acoustic Insulation according to ISO 15665 Using Intensity Scanning Methode according to ISO9612-2	
Client	Stenca Trading A/S	
Test sample	8" steel pipe	
Thermal Insulation	Stenca Pipe - 40 mm Foam	
Sound Insulation	2x 13 mm Filomat and 2 x 2.7 mm Stenca Drapery /SARI	
Norsok Noise Class	Fulfilling Norsok Noise Class C1	
Date	15.December 2009	Sign. <i>Stef/degand</i>



Sound Insulation Construction for tested object.



Frequency	125 Hz	250 Hz	500 Hz	1kHz	2kHz	4 kHz
IL	5 dB	10 dB	13 dB	27 dB	-	-

Measured Sound Insulation in dB per 1/1-octave frequency.

